

ORIGINAL



## CATALOGUE

LIGHTS AND MIRRORS FOR UNIVERSAL PARTS AND COMMERCIAL VEHICLES  
ORIGINAL EQUIPMENT QUALITY

UULO<sup>®</sup>

The background of the lower half of the page is a dark, atmospheric photograph of a truck at night. The truck's headlights are on, creating bright white spots and long, horizontal light trails in shades of red and orange across the foreground. The truck itself is mostly in silhouette against the dark background.



for left-right-hand traffic



for left-hand traffic



for right-hand traffic



fitting position left+right



Fitting position right



Fitting position left



Set



Approval stamp ECE+SAE



Approval stamp SAE



Approval stamp ECE



lateral fitting



lateral attachment



fitting position front



fitting position rear



for horizontal mounting



for vertical mounting



LED



with bulb



with bulb holder



without bulb holder



with cable



with plug



with indicator light



with marker light



with workplace light



for with clearance light



with daytime running light



with side marker light



with tail light



with reflector light



with reverse light



with navigation light



with park light



with rear fog light



with clearance light



with fog light



with licence plate light



with high beam



with low beam



with stop light



Automatic anti-dazzle



Heated



with antenna



Aspherical



Convex



Plan



With temperature sensor



long mirror arm



medium sized mirror arm



short mirror arm



for electric mirror adjustment



Manually adjustable



Electronically foldable



with Memory



with side marker light LED




Lane change assistant



with gasket



ULO Aftermarket is a TecDoc-listed and certified data supplier.





# About us...

## Unique original quality of ULO

ULO is the internationally operating trademark of the odelo-group and is known for its exclusively unique original equipment expertise and quality.

The spare parts supplied by ULO, such as head and rear lights, side mirrors and daytime running lights, which are distributed to the independent aftermarket are original parts and therefore perfect in terms of quality of material and their precision fit. Universal parts for commercial vehicles complete the product range of ULO. Visit our homepage [www.ulo.de](http://www.ulo.de) for more information about ULO spare parts.

Wholesalers, independent repair shops and exporters belong to our customers, which we supply all over the world. With more than 2,300 articles in our product range, we guarantee a fast and worldwide availability of our products.

Vehicle brands mainly in the premium segment like Audi, BMW, Mercedes-Benz, Opel, Porsche, Toyota, VW, MAN, Evobus and numerous commercial vehicles are provided by our product range.

The high and increasing demands of the automotive industry are fully achieved by ULO products. Our products conform fully with the security guidelines of automotive manufacturers because they come directly from the serial production.

The product range is constantly expanding with new and innovative products and applications. Modern production processes at the highest OE standards ensure lasting quality.

And ULO brings this quality for their customers to the independent aftermarket - ULO stands for original quality and innovative products!

## Our expertise shows you the right way!



## Universal Parts

Brand	Model	Page
<b>UNIVERSAL</b>		
	Headlight Cadface® Projected Low Beam	10
	Headlight Projected Low Beam + Positioning (With Led)	10
	Headlight Farbalux Freeform Low Beam - Front Position Light	11
	Headlight Ø55 Projected Low Beam	11
	Headlight Projected Low Beam + Positioning (With Led)	12
	Headlight Bi-Halogen Low + High Beam Light	12
	Headlight	13
	Headlight High-beam Headlight	13
	Headlight	14
	Headlight Farbalux High Beam Headlight	14
	Turn Signal Light Front Signal + Position	15
	Turn Signal Light Front Signal, Cadface	15
	Spotlight New Cadface Spot High Beam Light	16
	Spotlight Cadface® Spot High Beam Light	16
	Spotlight Cadface® Spot High Beam + Park (Positioning) Light	17
	Fog Light Cadface® Fog Light	17
	Fog Light	18
	Fog Light	18
	Fog Light New Cadface	19
	Parklight Ø55 Front Positioning Light	19
	Daytime Running Light	20
	Daytime Running Light	21
	Indicator	22
	Indicator Signal Amber	23
	Indicator	24
	Indicator Ø70 Front Signal Light	25
	Indicator Ø55 Front&Rear Signal Light	25
	Marker Light	26
	Side Marker Light Reflex Light	27
	Side Marker Light	28
	Rear Fog Light	29
	Rear Light	30
	Rear Light Signal + Position Up	31
	Rear Light Stop + Position	31
	Rear Light Stop + Position + Reflex	31
	Combination Rear Light Unistop 1®	32
	Combination Rear Light Unistop 2®	32
	Combination Rear Light Unistop 3®	33
	Combination Rear Light Unistop 4®	33
	Reverse Light Ø98 Single Rear Light	34
	Reverse Light	34
	Reflector	36
	Reflector	37


## Commercial Vehicles

Brand	Model	Years of Construction	Page
<b>FORD</b>			
TRANSIT	Bus/Box/Platform/Chassis	2006-2011	40
<b>IVECO</b>			
DAILY IV Van		2006-2011	40
DAILY VI Bus, Platform/Chassis, Van		2014-	41
DAILY IV Box Body/Estate/Dumptruck/Platform/Chassis		2006-2011	42
<b>MAN</b>			
Reflector/Side Marker Light			43
<b>MERCEDES-BENZ</b>			
T1 Bus/Box/Platform/Chassis (602)		1987-1996	44
V-CLASS (W447)		2014-	44
VITA/MIXTO VAN (W639), VITO Bus (W639)		2010-2014	45
O 403		1998-2006	45
EVOBUS TRAVEGO BUS		2005-	46
EVOBUS S300 BUS		1991-2001	46
<b>SETRA</b>			
Series 300		1991-2002	46
<b>VW</b>			
TRANSPORTER T4 Bus/Box/Platform/Chassis (70XA, 70XB, 70XC, 70XD, 7DB, 7DW)		1990-2003	47










# Universal Parts

## Headlight

Cadface® Projected Low Beam



142701008 | 142701036  
142701037 | 142701001



Fitting Depth [mm]: 196,3

Outer Diameter [mm]: 96

Number of mounting bores: 4 Mounting Bores

Distance [mm]: 94,8 Halogen

Bulb Type: H1

Lens Colour: Crystal clear

Clear diffusing lens

Vehicle Socket: TYPO(AMP) 282080-1

142701008 12 [V]; 55 [W]; for vehicles with headlight levelling (mechanical)

142701036 12 [V]; 55 [W]; for vehicles with headlight levelling (automatic)

142701037 24 [V]; 70 [W]; for vehicles with headlight levelling (mechanical)


142701001 24 [V]; 70 [W]; for vehicles with headlight levelling (automatic)

## Headlight

Projected Low Beam + Positioning (With Led)



142701012 | 142701031



Fitting Depth [mm]: 196,3

Outer Diameter [mm]: 96

Number of mounting bores: 4

Mounting Bores Distance [mm]: 94,8

12 [V]

Halogen

Bulb Type: H1

55 [W]

Lens Colour: Crystal clear

Prismatic diffusing lens

Vehicle Socket: TYCO (AMP) 282080-1

142701012 for vehicles with headlight levelling (mechanical)

142701031 for vehicles with headlight levelling (automatic)

Universal Parts

### Headlight


#### Farbalux Freeform Low Beam - Front Position Light



142701017



142701024 | 142701023  
142701007



**Fitting Depth [mm]:** 182  
**Outer Diameter [mm]:** 180  
**Bore Ø [mm]:** 6,5  
**Number of mounting bores:** 4  
**Mounting Bores Distance [mm]:** 200  
**Halogen**  
**Bulb Type:** W5W  
**Bulb Type:** H7  
**Lens Colour:** Crystal clear  
**Clear diffusing lens**  
**Vehicle Socket:** TYCO(AMP) 282087-1


- 142701017                      12 [V]; 55 [W]; for vehicles with headlight levelling (mechanical)
- 142701024                      12 [V]; 55 [W]; for vehicles with headlight levelling (automatic)
- 142701023                      24 [V]; 70 [W]; for vehicles with headlight levelling (mechanical)
- 142701007                      24 [V]; 70 [W]; for vehicles with headlight levelling (automatic)

### Headlight

#### Ø55 Projected Low Beam



142701022 | 142701021



**Fitting Depth [mm]:** 150  
**Outer Diameter [mm]:** 141  
**Number of mounting bores:** 4  
**Mounting Bores Distance [mm]:** 38/112  
**Halogen**  
**Bulb Type:** H1  
**Lens Colour:** Crystal clear  
**Clear diffusing lens**  
**for vehicles with headlight levelling (mechanical)**  
**Vehicle Socket:** DELPHI 12059180

- 142701022                      12 [V]; 55 [W]
- 142701021                      24 [V]; 70 [W]

## Headlight


Projected Low Beam + Positioning (With Led)



142702001 | 142702002  
142702003 | 142702004

**Fitting Depth [mm]:** 196,3  
**Outer Diameter [mm]:** 136,7  
**Number of mounting bores:** 4  
**Mounting Bores Distance [mm]:** 94,8  
**Adjustment Type:** Manual & With Leveling Acuator  
**Glass Type:** Without Stripe  
**Bulb Type:** H1  
**Vehicle Socket:** TYCO(AMP) 282080-1

- 142702001 *Front Low Beam, Positioning 12 V , (Military Vehicle), H1 55W LED*
- 142702002 *Front Low Beam, Positioning 24 V , (Military Vehicle), H1 70W LED*
- 142702003 *Front Low Beam, Positioning 12 V , (Military Vehicle), H1 55W LED*
- 142702004 *Front Low Beam, 24 V , (Uncoated), H1 70W LED*



## Headlight


Bi-Halogen Low + High Beam Light



141424600 | 142702010 | 142702011  
142702012 | 142702013

**Fitting Depth [mm]:** 177,7  
**Outer Diameter [mm]:** 140,8  
**Number of mounting bores:** 4  
**Mounting Bores Distance [mm]:** 85  
**Adjustment Type:** Manual & With Leveling Acuator  
**Glass Type:** Without Stripe  
**Bulb Type:** H7 70W  
**Vehicle Socket:** DELPHI 12059180, TYCO(AMP) 282080-1

- 141424600 *Bi-Halogen Low + High Beam Light, 12V , LHD*
- 142702010 *Bi-Halogen Low + High Beam Light, 24 V , LHD*
- 142702011 *Bi-Halogen Low + High Beam Light, 24 V , RHD*
- 142702012 *Bi-Halogen Low + High Beam Light, LEVELLING ACTUATOR , 24V , LHD*
- 142702013 *Bi-Halogen Low + High Beam Light, LEVELLING ACTUATOR , 24V , RHD*






## Headlight



141521800 | 141521900  
141522000 | 141522100

**Fitting Depth [mm]:** 196,3  
**Outer Diameter [mm]:** 136,7  
**Number of mounting bores:** 4  
**Mounting Bores Distance [mm]:** 94,8  
**Adjustment Type:** Manual & With Leveling Acuator  
**Glass Type:** Without Stripe  
**Bulb Type:** H1  
**Vehicle Socket:** TYCO(AMP) 282080-1

141521800	Headlight, Low Beam With Led, 12V, H1 55W LED
141521900	Headlight, With Led+Leveling Acuator,12V (Glass), H1 70W LED
141522000	Headlight, Low Beam With Led, 24V, H1 55W LED
141522100	Headlight, With Led+Leveling Acuator, 24V (Glass), H1 70W LED



## Headlight


### High-beam Headlight



141521500 | 141521600

**Fitting Depth [mm]:** 170  
**Outer Diameter [mm]:** 180  
**Bore Ø [mm]:** 6,5  
**Number of mounting bores:** 4  
**Mounting Bores Distance [mm]:** 200  
**Adjustment Type:** Manual  
**Glass Type:** Without Stripe  
**Bulb Type:** H1 / 70W P21W  
**Vehicle Socket:** TYCO (AMP) 282087-1

141521500	Headlight, High Beam With DRL, 12V
141521600	Headlight, High Beam With DRL, 24V




## Headlight



142701032 | 142701033



142701034 | 142701035



**Fitting Depth [mm]:** 196,3  
**Outer Diameter [mm]:** 96  
**Number of mounting bores:** 4  
**Mounting Bores Distance [mm]:** 94,8  
**Halogen**  
**Bulb Type:** H1  
**Lens Colour:** Crystal clear  
**Clear diffusing lens**


- 142701032      12 [V]; 55 [W]; for vehicles with headlight levelling (mechanical)
- 142701034      12 [V]; 55 [W]; for vehicles with headlight levelling (automatic)
- 142701033      24 [V]; 70 [W]; for vehicles with headlight levelling (mechanical)
- 142701035      24 [V]; 70 [W]; for vehicles with headlight levelling (automatic)

## Headlight

Farbalux High Beam Headlight



142701006 | 142701025



**Fitting Depth [mm]:** 182  
**Outer Diameter [mm]:** 180  
**Bore Ø [mm]:** 6,5  
**Number of mounting bores:** 4  
**Mounting Bores Distance [mm]:** 200  
**Halogen**  
**Bulb Type:** H1  
**Lens Colour:** Crystal clear  
**Clear diffusing lens**  
**for vehicles with headlight levelling (mechanical)**  
**Vehicle Socket:** TYCO (AMP) 282080-1

- 142701025      12 [V]; 55 [W]
- 142701006      24 [V]; 70 [W]


Universal Parts

### Turn Signal Light

Front Signal + Position



142702030 | 142702031



Quality: OEM, ORIGINAL

Plug-type ID: TYCO TE/AMP 282087-1

Width: 226.3 mm

Lamp Type: LED

Mounting Type: Fitting

Fitting Depth: 167.7 mm

Indicator Colour: Yellow

Plug Type: AMP

Lens Colour (direction indicator): Crystal clear

142702030

Signal+Position, Left, With Led, 24V

142702031

Signal+Position, Right, With Led, 24V

### Turn Signal Light


Front Signal, Cadface



142702040



142702042 | 142702043



Fitting Position: both sides

Quality: OEM

Plug-type ID: TYCO TE/AMP 282762-1

Ø: 70 mm

Lamp Type: PY21W

Mounting Type: Fitting

Fitting Depth: 92.6 mm

Indicator Colour: Yellow

Plug Type: AMP

142702040

Front Signal, CADFACE, 12V, Ø70, Lens Colour (direction indicator): Crystal clear

142702042

Front Signal, CADFACE, Amber Lens, 12V, Ø70, Lens Colour (direction indicator): Yellow

142702043

Front Signal, CADFACE, Amber Lens, 24V, Ø70, Lens Colour (direction indicator): Yellow

## Spotlight

### New Cadface Spot High Beam Light



142701004 | 142701016  
142701026 | 142701027

Fitting Depth [mm]: 116

Outer Diameter [mm]: 103

Bore Ø [mm]: 5,5

Number of mounting bores: 4

Mounting Bores Distance [mm]: 85,4

Halogen

Bulb Type: H1

Lens Colour: Crystal clear

Clear diffusing lens

for vehicles with headlight levelling (mechanical)


Vehicle Socket: TYCO (AMP) 282762-1

142701016                      12 [V]; 55 [W]

142701027                      24 [V]; 70 [W]

142701026                      12 [V]; Bulb Type: W5W; 55 [W]

142701004                      24 [V]; Bulb Type: W5W; 70 [W]



## Spotlight

### Cadface® Spot High Beam Light



142701011 | 142701038



142701015 | 142701039

Fitting Depth [mm]: 116

Outer Diameter [mm]: 103

Bore Ø [mm]: 5,2

Number of mounting bores: 4

Mounting Bores Distance [mm]: 85,4

Halogen

Bulb Type: H1

Lens Colour: Crystal clear

for vehicles with headlight levelling (mechanical)


Vehicle Socket: TYCO(AMP) 282080-1

142701038                      12 [V]; 55 [W]

142701015                      12 [V]; 55 [W]; Clear diffusing lens

142701011                      24 [V]; 70 [W]

142701039                      24 [V]; 70 [W]; Clear diffusing lens / Without Stripe





## Spotlight

Cadface Spot High Beam + Park (Positioning) Light



142701019 | 142701020

Fitting Depth [mm]: 116

Outer Diameter [mm]: 103

Bore Ø [mm]: 5,5

Number of mounting bores: 4

Mounting Bores Distance [mm]: 85,4

Halogen

Bulb Type: H1

Bulb Type: W5W

5 [W]

Lens Colour: Crystal clear

Clear diffusing lens

for vehicles with headlight levelling (mechanical)


Vehicle Socket: TYCO(AMP) 282762-1

142701020

12 [V]; 55 [W]

142701019

24 [V]; 70 [W]



## Fog Light

Cadface® Fog Light



142701002 | 142701014



142701010 | 142701040

Fitting Depth [mm]: 115,7

Outer Diameter [mm]: 103

Bore Ø [mm]: 5,2

Number of mounting bores: 4

Mounting Bores Distance [mm]: 85,4

Halogen

Bulb Type: H1

Lens Colour: Crystal clear

with housing

Vehicle Socket: TYCO(AMP) 282080-1

142701040

12 [V]; 55 [W]

142701014


12 [V]; 55 [W]; Clear diffusing lens

142701010

24 [V]; 70 [W]

142701002

24 [V]; 70 [W]; Clear diffusing lens



## Fog Light




141609700 | 141609800

**Fitting Depth [mm]:** 133,1  
**Outer Diameter [mm]:** 102,7  
**Bore Ø [mm]:** 5,5  
**Number of mounting bores:** 4  
**Mounting Bores Distance [mm]:** 85,4  
**Glass Type:** Without Stripe  
**Bulb Type:** H7  
**Vehicle Socket:** TYCO (AMP) C-282762

141609700 *Front Fog Light, 12 V, H7 Bulb, H7 55W*

141609800 *Front Fog Light, 24 V, H7 Bulb, H7 70W*



## Fog Light




142702020 | 142702021

**Fitting Depth [mm]:** 111,5  
**Outer Diameter [mm]:** 102,7  
**Bore Ø [mm]:** 5,5  
**Number of mounting bores:** 4  
**Mounting Bores Distance [mm]:** 85,4  
**Glass Type:** Without Stripe  
**Bulb Type:** H1  
**Vehicle Socket:** TYCO (AMP) 282762-1

142702020 *Headlight, Cadface Fog, 12 V (For Military Vehicles), H1 55W*

142702021 *Headlight, Cadface Fog, 24 V (For Military Vehicles), H1 70W*





## Daytime Running Light





141373400 | 142701044

**Fitting Depth [mm]:** 92,6  
**Outer Diameter [mm]:** 86,5  
**Number of mounting bores:** 2  
**Mounting Bores Distance [mm]:** 105  
**Glass Type:** PC Lens  
**Bulb Type:** P21W Long Life  
**Vehicle Socket:** TYCO(AMP) 282762-1

141373400 *DRL, Daytime Running Light, Ø70, 12 V*

142701044 *DRL, Daytime Running Light, Ø70, 24 V*




## Daytime Running Light



141398700

**Fitting Depth [mm]:** 95,4  
**Outer Diameter [mm]:** 98  
**Number of mounting bores:** 4  
**Mounting Bores Distance [mm]:** 85,4  
**Glass Type:** PC Lens  
**Bulb Type:** P13 W  
**Vehicle Socket:** FCI-PPI0001038

141398700 *Daytime Running Light, 12V, Ø98*





## Daytime Running Light



141582900 | 141584900



141586300

Fitting Depth [mm]: 59,9

Outer Diameter [mm]: 93

Bore Ø [mm]: 7

Number of mounting bores: 4

Mounting Bores Distance [mm]: horizontal 100, vertical 50

Glass Type: PC Lens

Bulb Type: LED

Vehicle Socket: TYCO(AMP) 282080-1


141582900

*Daytime Running Light , 12V, Ø90, LED*

141584900

*Daytime Running Light , 24V, Ø90, LED*

141586300

*Daytime Running Light , 12V, Ø90, LED (With Bracket)*

## Daytime Running Light



141588700 | 141588800



141588900 | 141589000

Fitting Depth [mm]: 59,9

Outer Diameter [mm]: 93

Bore Ø [mm]: 7

Number of mounting bores: 4

Mounting Bores Distance [mm]: horizontal 100, vertical 50

Glass Type: PC Lens

Bulb Type: LED

Vehicle Socket: TYCO(AMP) 282087-1

141588700

*Daytime Running Light With Position, 12V, Ø90, LED*


141588800

*Daytime Running Light With Position, 24V, Ø90, LED*

141588900

*Daytime Running Light With Position, 12V, Ø90, LED (Braketli/With Bracket)*

141589000

*Daytime Running Light With Position, 24V, Ø90, LED (Braketli/With Bracket)*


## Indicator



143251020 | 143251030

**Mounting Type:** Bolted  
**Length [mm]:** 165  
**Width [mm]:** 73  
**Bore Ø [mm]:** 4,2  
**24 [V]**  
**Bulb Technology**  
**Bulb Type:** P21W  
**Indicator Colour:** Yellow  
**Lens Colour:** Yellow

143251020     
 143251030   




## Indicator



1010902 | 1010903

**Mounting Type:** Bolted  
**Outer Diameter [mm]:** 102  
**Thread Size:** M6  
**Number of mounting bores:** 2  
**Mounting Bores Distance [mm]:** 45  
**Lens Colour:** White  
**Cable Length [mm]:** 300

1010902   *12 [V]; Indicator Colour: Yellow*  
 1010903  *24 [V]; Indicator Colour: Yellow*




Indicator



147080900 | 147081000  
147164700 | 147164800

Fitting Depth [mm]: 87  
Outer Diameter [mm]: 71,8  
Bore Ø [mm]: 5  
Number of mounting bores: 3  
Mounting Bores Distance [mm]: 61  
Lens Type: Natural / Amber  
Vehicle Socket: TYCO(AMP) 282762-1



- 147080900                      *Ø55, Front Signal, Natural, AYG, 12V, LED*
- 147081000                      *Ø55, Front Signal, Natural, AYG, 24V, LED*
- 147164700                      *Ø55, Front Signal, Amber, AYG, 12V, LED*
- 147164800                      *Ø55, Front Signal, Amber, AYG, 24V, LED*


Indicator

Signal Amber



141701009 | 141701019

Outer Diameter [mm]: 125  
Thread Size: M5  
Bulb Technology  
Bulb Type: P21W  
Indicator Colour: Yellow  
Lens Colour: Yellow  
Vehicle Socket: TYCO (AMP) 282762 - 1



- 141701019                      *12 [V]*
- 141701009                      *24 [V]*


## Indicator



141701017 | 141701018

Outer Diameter [mm]: 125  
 Thread Size: M5  
 Bulb Technology  
 Bulb Type: PY21W  
 Indicator Colour: Yellow  
 Lens Colour: Crystal clear

- 141701017                      12 [V]
- 141701018                      24 [V]



## Indicator




141701003 | 141701004



141701026 | 141701027

Mounting Type: Bolted  
 Outer Diameter [mm]: 98  
 Thread Size: M5x15  
 Indicator Colour: Yellow  
 Vehicle Socket: TYCO (AMP) 282080-1

- 141701003 12 [V]; Lens Colour: Red/Yellow; with housing
- 141701027 12 [V]; Lens Colour: Yellow
- 141701004 24 [V]; Lens Colour: Red/Yellow; with housing
- 141701026 24 [V]; Lens Colour: Yellow






Universal Parts

**Indicator**

Ø70 Front Signal Light



142701005



Outer Diameter [mm]: 70  
 Thread Size: M5  
 Bulb Technology  
 Indicator Colour: Yellow  
 Vehicle Socket: TYCO(AMP) 282762-1

142701005      24 [V]; Bulb Type: PY21W; Lens Colour: Crystal clear

**Indicator**


Ø55 Front&Rear Signal Light



142701009 | 142701013



142701041 | 142701042



Outer Diameter [mm]: 55  
 Thread Size: M5  
 Bulb Technology  
 Indicator Colour: Yellow  
 Vehicle Socket: TYCO(AMP) 282762-1

142701041      12 [V]; Bulb Type: P21W; Lens Colour: Yellow  
 142701013      12 [V]; Bulb Type: PY21W; Lens Colour: Crystal clear  
 142701009      24 [V]; Bulb Type: PY21W; Lens Colour: Crystal clear  
 142701042      24 [V]; Bulb Type: P21W; Lens Colour: Yellow

## Marker Light




142908080

Length [mm]: 75  
 Width [mm]: 25  
 Height [mm]: 20  
 Bore Ø [mm]: 4,5  
 Number of mounting bores: 2  
 Mounting Bores Distance [mm]: 48  
 24 [V]  
 with spilled cable

142908080  

Lens Colour: Red; Cable Length [mm]: 5000



## Marker Light




142908010

Mounting Type: Bolted  
 Length [mm]: 75  
 Width [mm]: 25  
 Height [mm]: 20  
 Bore Ø [mm]: 4,5  
 Number of mounting bores: 2  
 Mounting Bores Distance [mm]: 48  
 Synthetic Material Housing  
 Cable Length [mm]: 100  
 with spilled cable

142908010    

24 [V]; 0,7 [W]; Lens Colour: Red



## Marker Light



145613500

**Mounting Type:** Bolted

**Length [mm]:** 106

**Width [mm]:** 45

**Height [mm]:** 20,5

**Bore Ø [mm]:** 4,5

**Number of mounting bores:** 2

**Mounting Bores Distance [mm]:** 75

**24 [V]**

**1 [W]**



**Lens Colour:** White

**Synthetic Material Housing**

**Cable Length [mm]:** 200

with spilled cable

145613500



## Side Marker Light

Reflex Light



141701014 | 141701015

**Mounting Type:** Bolted

**Length [mm]:** 110

**Width [mm]:** 41

**Height [mm]:** 24,2

**Fitting Depth [mm]:** 24,2

**Bore Ø [mm]:** 5

**Number of mounting bores:** 2

**Mounting Bores Distance [mm]:** 75

**Lens Colour:** Yellow

with housing

**Cable Length [mm]:** 100

with spilled cable


**Vehicle Socket:** TYCO (AMP) 282104-1

141701015

12 [V]

141701014


24 [V]



## Side Marker Light



145615300 | 145615350  
 145615380 | 145615270  
 145615200 | 145615230



**Mounting Type:** Bolted  
**Length [mm]:** 120  
**Width [mm]:** 45  
**Height [mm]:** 38,5  
**Fitting Depth [mm]:** 20,5  
**Bore Ø [mm]:** 4,5  
**Number of mounting bores:** 2  
**Mounting Bores Distance [mm]:** 75  
**Lens Colour:** Yellow  
**24 [V]**  
**1,5 [W]**  
**with housing**  
**Lens Colour:** Yellow  
**Cable Length [mm]:** 60

145615300					12 [V]; 0,75 [W]; Cable Length [mm]: 200; with spilled cable
145615350					24 [V]; 1,5 [W]; Cable Length [mm]: 60; with spilled cable and Bosch connector
145615380					24 [V]; 1,5 [W]; Cable Length [mm]: 480; with click-in-cable incl. thingy; with spilled cable
145615270					24 [V]; 1,5 [W]; Cable Length [mm]: 200; with spilled cable
145615200					24 [V]; 1,5 [W]; Cable Length [mm]: 200; with spilled cable
145615230					


### Rear Fog Light



141701007 | 141701013



141701024 | 1701025




Fitting Depth [mm]: 95,4  
 Outer Diameter [mm]: 98  
 Thread Size: M5x15  
 Bulb Technology  
 Bulb Type: P21W  
 Lens Colour: Red  
 with housing  
 Vehicle Socket: TYCO (AMP) 282762 - 1

141701007		12 [V]
141701013		24 [V]
141701024		12 [V]
141701025		24 [V] / Reflex

### Rear Fog Light



141701011 | 141701016



Fitting Depth [mm]: 98  
 Outer Diameter [mm]: 125  
 Thread Size: M5x20  
 Bulb Technology  
 Bulb Type: P21W  
 Lens Colour: Red  
 with housing  
 Vehicle Socket: TYCO (AMP) 282762 - 1


141701016	12 [V]
141701011	24 [V]

## Rear Light



141701029

**Fitting Depth [mm]:** 95,4  
**Outer Diameter [mm]:** 98  
**Number of mounting bores:** 3  
**Mounting Bores Distance [mm]:** 61  
**Functions:** Reverse  
**Bulb Type:** P21W  
**Vehicle Socket:** TYCO (AMP) 282762 - 1



141701029


Rear Reverse , Ø98 , 24V , Bulb

## Rear Light



141010900 | 141010901

**Mounting Type:** Bolted  
**Outer Diameter [mm]:** 102  
**Thread Size:** M6  
**Number of mounting bores:** 2  
**Mounting Bores Distance [mm]:** 45  
**Lens Colour:** White  
**with housing**  
**Cable Length [mm]:** 300



141010900 12 [V]

141010901 12 [V]



### Rear Light


Signal + Position Up



141701002

Fitting Depth [mm]: 62  
 Outer Diameter [mm]: 98  
 Thread Size: M5x15  
 Indicator Colour: Yellow  
 with housing  
 Cable Length [mm]: 130  
 Vehicle Socket: TYCO (AMP) 282087-1

141701002      098, 24V



### Rear Light

Stop + Position




141701005 | 141701006

Outer Diameter [mm]: 98  
 Lens Colour: White / Red  
 Vehicle Socket: TYCO (AMP) 282087-1

141701005      12 [V]

141701006      24 [V]



### Rear Light

Stop + Position + Reflex




141701021 | 141701012

Outer Diameter [mm]: 125  
 Bulb Type: P21/ 5W  
 Lens Colour: Red  
 Vehicle Socket: TYCO (AMP) 282729 - 1

141701021      12 [V]

141701012      24 [V]




## Combination Rear Light

Unistop 1®



141701022

Length [mm]: 425  
 Width [mm]: 140  
 Height [mm]: 89  
 Fitting Depth [mm]: 89  
 Thread Size: M8  
 Bulb Technology  
 Bulb Type: R5W  
 Bulb Type: P21W  
 Indicator Colour: Yellow  
 with housing  
 ADR/ GGVS Checked  
 Functions: Fog, Reverse, Position, Stop, Signal, Reflex



141701022

12 [V]


## Combination Rear Light

Unistop 2®



141701001 | 141701023

Length [mm]: 381  
 Width [mm]: 126  
 Height [mm]: 101  
 Fitting Depth [mm]: 101  
 Thread Size: M8x20  
 Bulb Technology  
 Bulb Type: P21W  
 Bulb Type: P21/ 5W  
 Indicator Colour: Yellow  
 with housing  
 Functions: Fog, Reverse, Position, Stop, Signal, Reflex  
 Vehicle Socket: TYCO (AMP) 282090 - 1



141701001



12 [V]

141701023



24 [V]

## Combination Rear Light

Unistop 3®



141702001 | 141702002

Fitting Depth [mm]: 89

Outer Diameter [mm]: horizontal 400, vertical 128,8

Bore Ø [mm]: 8


Number of mounting bores: 2

Mounting Bores Distance [mm]: 160

Functions: Fog, Reverse, Position, Stop, Signal, Reflex

Bulb Type: PY21W, P21W / R5W

Vehicle Socket: MOLEX 33482-0849



141702001

Rear Light, Left, 12V, UNISTOP-3

141702002

Rear Light, Right, 12V, UNISTOP-3

## Combination Rear Light

Unistop 4®



141707021 - 141707022

Fitting Depth [mm]: 75,1

Outer Diameter [mm]: horizontal 400, vertical 130

Bore Ø [mm]: 8


Number of mounting bores: 2

Mounting Bores Distance [mm]: 160

Functions: Fog, Reverse, Position, Stop, Signal, Reflex

Bulb Type: LED

Vehicle Socket: TE 967650-1



141707021

Rear Light, 12V, Socket-1, UNISTOP-4

141707022

Rear Light, 24V, Socket-1, UNISTOP-4

## Reverse Light


Ø98 Single Rear Light



141701008



141701028



Mounting Type: Bolted

Fitting Depth [mm]: 95,4

Outer Diameter [mm]: 98

Thread Size: M5x15

Bulb Technology

Bulb Type: P21W

Lens Colour: Crystal clear  
with housing

Vehicle Socket: TYCO (AMP) 282762 - 1


141701028                      12 [V]

141701008                      24 [V]

## Reverse Light



141701010 | 141701020



Mounting Type: Bolted

Fitting Depth [mm]: 98

Outer Diameter [mm]: 125

Thread Size: M5x20

Bulb Technology

Bulb Type: P21W

Lens Colour: Crystal clear  
with housing

Vehicle Socket: TYCO (AMP) 282762 - 1

141701010                      24 [V]

141701020                      12 [V]




## Reflector



141702010




141702011



Fitting Depth [mm]: 6  
 Outer Diameter [mm]: 58  
 Bore Ø [mm]: 5  
 Number of mounting bores: 1  
 Lens Type: Red, Amber

- 141702010 *Reflector, Reflex, Red, Ø58*
- 141702011 *Reflector, Reflex, Amber, Ø58*

## Reflector



144651090

Mounting Type: Glued  
 Length [mm]: 94  
 Width [mm]: 44  
 with adhesive film  
 Synthetic Material Housing  
 Material: PMMA (Polymethylmethacrylate)

- 144651090 *Lens Colour: Yellow*



## Reflector



144742110

Length [mm]: 122

Width [mm]: 32,5

Synthetic Material Housing

Material: PMMA (Polymethylmethacrylate)

144742110



Mounting Type: Glued; Lens Colour: Red; with adhesive film

## Reflector



144755030

Mounting Type: Bolted

Length [mm]: 91

Width [mm]: 61

Bore Ø [mm]: 5,2

Number of mounting bores: 2

Mounting Bores Distance [mm]: 78,75

Synthetic Material Housing

Material: PMMA (Polymethylmethacrylate)


144755030



Mounting Type: Glued; Lens Colour: Red; with adhesive film







# Commercial Vehicles

FORD TRANSIT Bus/Box/Platform/Chassis 2006 - 2011

Housing, outside mirror

143058002

Surface: Grained



IVECO DAILY IV Van 2006 - 2011

Outside Mirror | Surface: black grained mat

143061301									
143061302									
143061303									
143061304									
143061305									
143061306									
143061307									
143061308									
143061309									
143061310									
143061311									
143061312									
143061313									
143061314									
143061315									
143061316									
143061317									
143061318									
143061319									
143061320									
143061321									
143061322									
143061324									
143061326									



Cover, outside mirror

143061901



Cover, outside mirror

143061902



IVECO DAILY VI Bus, Platform/Chassis, Van 2014 -

Mirror Glass, outside mirror

143134201 with parking assist  
 143134202

with parking assist



Cover, outside mirror

143134501 S  
 143134502 S  
 143134503 S  
 143134504 S



Cover, outside mirror

143134505 L  
 143134506 L







## MAN

## Reflector

144742130    

Length: 122 mm

Width: 32.5 mm

Material: PMMA (Polymethylmethacrylate)

Mounting Type: Bolted, Glued

Fastening Type: Foot-mounted, for vertical fastening

Housing Type: Synthetic Material Housing

Supplementary Article/Info 2: with adhesive film

Lens Colour: Yellow

Number of light functions: 1



## Side Marker Light

145615360     

Fitting Position: lateral installation

Length: 120 mm

Width: 45 mm

Height: 38.5 mm

Bore: Ø 4.5 mm

Light Function: with reflector

Cable Length: 60 mm

Mounting Type: Bolted, AMP Connection, Fitting

Fastening Type: Foot-mounted

Housing Type: with housing

Supplementary Article/Supplementary Info: with seal

Rated Voltage: 24 V

Fitting Depth: 20.5 mm

Supplementary Article/Info 2: with cable, with plug

Lens Colour: Yellow


Power consumption: 1.5 W

Number of mounting bores: 2

Mounting Bores Distance: 75 mm

Number of light functions: 2

Number of LEDs: 3



### MERCEDES-BENZ T1 Bus/Box/Platform/Chassis (602) 1987 - 1996

#### Reflex Reflector

144755010 ECE


Material: PMMA (Polymethylmethacrylate)

Mounting Type: Bolted

Fastening Type: Foot-mounted, for vertical fastening

Housing Type: Synthetic Material Housing

Lens Colour: Red



### MERCEDES-BENZ V-CLASS (W447) 2014 -

#### Outside Mirror

- 143142303 SAE
- 143142304 ECE
- 143142305 ECE *with Peripheral Lighting*
- 143142307 ECE *with Peripheral Lighting | with camera*
- 143142308 ECE *with Peripheral Lighting | with camera*
- 143142309 ECE *Heatable blind spot | (+) Perip. Lighting | (+) camera*
- 143142310 ECE *with Peripheral Lighting | with camera*



#### Outside Mirror

143142306 ECE *with Peripheral Lighting*



#### Mirror Glass, outside mirror

- 143142201 SAE
- 143142202 SAE
- 143142203 EC *Heatable blind spot mirror*
- 143142204 EC *Heatable blind spot mirror*



Commercial Vehicles















Cover, outside mirror

- 143142401   ECE
- 143142402   ECE



MERCEDES-BENZ VITA/MIXTO VAN (W639), VITO Bus (W639) 2010 - 2014

Outside Mirror | for facelift | with mirror glass

- 143121005       
- 143121310       


Surface: black grained

Surface: black grained



Mirror Glass, outside mirror | for facelift

- 143121202   



MERCEDES-BENZ O 403 1998 - 2006

Headlight | 24 [V]

- 142005001   ECE
- 142005002   ECE



### EVOBUS TRAVEGO BUS 2005 -

#### Direction Indicator

146715150

146715160

Indicator Colour: Yellow  
 Lens Colour (direction indicator): Crystal Clear



### EVOBUS S300 BUS 1991 - 2001

#### Bulb Holder, Rear Light Assembly

146722040

Light Design: FF  
 Mounting Type: Latching Connection  
 Housing Type: Synthetic Material Housing  
 Indicator Colour: Yellow



### Setra Series 300 1991 - 2002

#### Combination Rear Light

144498410

*lenses are sticked together with reflecting housing*



## VW TRANSPORTER T4 Bus/Box/Platform/Chassis (70XA, 70XB, 70XC, 70XD, 7DB, 7DW) 1990 - 2003

Lens, combination rear light

141052090 

Ulo-no.	Old Ulo-no.	OEM Reference	Brand	Model	Page
141010900	1010900		Universal	Combination Rear Light	30
141010901	1010901		Universal	Combination Rear Light	30
141010902	1010902		Universal	Indicator	
141010903	1010903		Universal	Indicator	
141052090	1052-09		VW	Transporter T4 Bus/Box/Platform/Chassis (70XA,70XB,70XC,70XD,7DB,7DW) 1990-2003 / Lens, combination rear light	47
141373400			Universal	Daytime Running Light	20
141398700			Universal	Daytime Running Light	20
141424600			Universal	Bi-Halogen Low + High Beam Light	12
141521500			Universal	Headlight & DRL High-beam Headlight	13
141521600		Ford: DC46 13005 AB, GC46 13005 CA	Universal	Headlight & DRL High-beam Headlight	13
141521800			Universal	Headlight	13
141521900			Universal	Headlight	13
141522000			Universal	Headlight	13
141522100			Universal	Headlight	13
141582900			Universal	Daytime Running Light	21
141584900		Otokar: 13M33-35530-AA MBT: A6288200656	Universal	Headlight	21
141586300			Universal	Headlight	21
141588700			Universal	Daytime Running Light With Position	21
141588800			Universal	Headlight	21
141588900			Universal	Daytime Running Light With Position	21
141589000			Universal	Daytime Running Light With Position	21
141609700		Karsan: CSB.51502.A	Universal	Front Fog Light	18
141609800		Ford: GC46 15K201 AA Otokar: 16M00-35580-AC Karsan: KR.CLX01.515P0040 MBT: A0038206556	Universal	Front Fog Light	18
141701001	1701001	Ford: 7C16 13404 AA	Universal	Combination Rear Light	32
141701002	1701002	BMC: 53RS301384 Temsas: NK253104Y Güleyüz: A01 291 0003 Akia: 16090002	Universal	Combination Rear Light	31
141701003	1701003	Otokar: 12F00-35502-AA Karsan: KR.CSX01.526P0006	Universal	Indicator	24
141701004	1701004	Otokar: 16M00-35502-AA Temsas: NK253108Y MBT: A0008260943	Universal	Indicator	24
141701005	1701005	Otokar: 12F00-35516-AA Karsan: KR.CSX01.526P0003	Universal	Stop Light	31
141701006	1701006	Otokar: 16M00-35504-AA Karsan: KR.CLX01.526P0003 Temsas: NK253106Y MBT: A0008261444	Universal	Stop Light	31
141701007	1701007	Otokar: 12F00-35506-AA	Universal	Rear Fog Light	29
141701008	1701008	Otokar: 16M00-35508-AA Karsan: KR.CLX01.526P0001 Temsas: NK253105Y	Universal	Reverse Light	34
141701009	1701009	Otokar: 16F00-35502-AA Temsas: CM253101Y Akia: 16090007	Universal	Indicator	23
141701010	1701010	Otokar: 16F00-35508-AA Temsas: CM253103Y Akia: 16090008	Universal	Reverse Light	34
141701011	1701011	Otokar: 16F00-35506-AA Temsas: CM253102Y Akia: 16090009	Universal	Rear Fog Light	29
141701012	1701012	Otokar: 16F00-35504-AA Temsas: CM253104Y Akia: 16090006	Universal	Stop Light	31



## Original equipment for lights and mirrors

Ulo-no.	Old Ulo-no.	OEM Reference	Brand	Model	Page
141701013	1701013	<b>Otokar:</b> 12F71-35506-AA <b>Temsa:</b> NK253107Y <b>MBT:</b> A0005441904	Universal	Rear Fog Light	29
141701014	1701014	<b>Karsan:</b> BMB0001102 <b>Temsa:</b> SB253104Y <b>Akia:</b> 16090010	Universal	Side Marker Light	27
141701015	1701015	<b>Temsa:</b> TM253101Y	Universal	Side Marker Light	27
141701016	1701016		Universal	Rear Fog Light	29
141701017	1701017		Universal	Indicator	24
141701018	1701018		Universal	Indicator	24
141701019	1701019		Universal	Indicator	23
141701020	1701020		Universal	Reverse Light	34
141701021	1701021		Universal	Stop Light	31
141701022	1701022	<b>Temsa:</b> FE802165Y	Universal	Combination Rear Light	32
141701023	1701023		Universal	Combination Rear Light	32
141701024	1701024		Universal	Rear Fog Light	29
141701025	1701025	<b>Otokar:</b> 13F22-35506-AA	Universal	Rear Fog Light	29
141701026	1701026		Universal	Indicator	24
141701027	1701027		Universal	Indicator	24
141701028	1701028	<b>Otokar:</b> 12F00-35508-AA	Universal	Reverse Light	34
141701029	1701029	<b>Otokar:</b> 16M00-35508-AA <b>Karsan:</b> KR.CLX01.526P0001 <b>Temsa:</b> NK253105Y	Universal	Rear Light	30
141702001	1702001	<b>Ford:</b> BK31 13405 CC	Universal	Rear Light	33
141702002	1702002	<b>Ford:</b> BK31 13404 CC	Universal	Rear Light	33
141702010	1702010		Universal	Reflector	36
141702011	1702011		Universal	Reflector	36
141707021	1707021		Universal	Rear Light	33
141707022	1707022	<b>BMC:</b> 52R5500347M	Universal	Rear Light	33
142005001	2005001		MERCEDES-BENZ	O 403 1998 - 2006 / Headlight   24 [V]	45
142005002	2005002		MERCEDES-BENZ	O 403 1998 - 2006 / Headlight   24 [V]	45
142701001	2701001	<b>Ford:</b> 6C46 13005 AC	Universal	Headlight	10
142701002	2701002	<b>Ford:</b> 6C46 15K201 AC, AC46 15K201 AB	Universal	Fog Light	17
142701003	2701003	<b>Ford:</b> AC46 15K201 AA <b>BMC:</b> 58R5509341, 59R5509341, 55R5360018 <b>Otokar:</b> 12F00-35580-AA, 13C33-35580-AA, 16M00-35580-AA <b>Karsan:</b> BMB0001112 <b>Temsa:</b> HD253112Y <b>Akia:</b> 16090004	Universal	Fog Light	19
142701004	2701004	<b>Ford:</b> 6C46 13005 BC, 6C46 13005 BE <b>BMC:</b> 58R5509340, 59R5509340 <b>Otokar:</b> 12F00-36873-AA, 13C33-35583-AA, 16M00-35583-AA <b>Temsa:</b> HD253104Y	Universal	Spotlight	16
142701005	2701005	<b>Ford:</b> 8C46 13368 AB	Universal	Indicator	25
142701006	2701006	<b>Ford:</b> GC46 13005 DA, 8C46 13005 BB	Universal	Spotlight	14
142701007	2701007	<b>Ford:</b> GC46 13005 BA, 8C46 13005 AB <b>BMC:</b> 59R5200210	Universal	Headlight	11
142701008	2701008	<b>BMC:</b> 58R5509339 <b>Otokar:</b> 16F00-35510-AA, 12F00-35510-AA	Universal	Headlight	10

Ulo-no.	Old Ulo-no.	OEM Reference	Brand	Model	Page
142701009	2701009	<b>BMC:</b> 58RS509504, 55RS360019 <b>Otokar:</b> 13C33-35528-AA <b>Karsan:</b> BMB0001113, KR.CLX01.515P0016 <b>Temsa:</b> HD253103Y <b>MBT:</b> A0028201821 <b>Güleyüz:</b> A01 291 0001 <b>Akia:</b> 16090013	Universal	Indicator	25
142701010	2701010	<b>Otokar:</b> 13C22-35580-AA <b>Temsa:</b> TM252116Y <b>MBT:</b> A6138202956, A6138203256	Universal	Fog Light	17
142701011	2701011	<b>Otokar:</b> 13C22-35583-AA, 13C10-36873-AB <b>Temsa:</b> TC 299548-147Y <b>MBT:</b> A6138203056, A6138203456 <b>Akia:</b> 16090003	Universal	Spotlight	16
142701012	2701012	<b>Karsan:</b> P.80373	Universal	Headlight	10
142701013	2701013	<b>Tümosan:</b> O-725810 <b>Otokar:</b> 9000-26104-AA <b>Karsan:</b> P.80139	Universal	Indicator	25
142701014	2701014	<b>Karsan:</b> P.80356	Universal	Fog Light	17
142701015	2701015	<b>Karsan:</b> P.80355	Universal	Spotlight	16
142701016	2701016	<b>Karsan:</b> 20018593014	Universal	Spotlight	16
142701017	2701017	<b>Karsan:</b> 20018593010	Universal	Headlight	11
142701018	2701018	<b>Karsan:</b> KR.B1801.711P0001 <b>Temsa:</b> NK253103Y	Universal	Parklight	19
142701019	2701019	<b>BMC:</b> 55RS360444M <b>Karsan:</b> BMB0001114 <b>Temsa:</b> NK253109Y <b>MBT:</b> A3908200056 <b>Güleyüz:</b> 001 02040852	Universal	Spotlight	17
142701020	2701020	<b>Karsan:</b> KR.CSX01.515P0001 <b>Temsa:</b> TM253105Y	Universal	Spotlight	17
142701021	2701021	<b>BMC:</b> 55RS360443, 53RS817445M <b>Temsa:</b> NK253111Y <b>Güleyüz:</b> 001 02040850 <b>TCV:</b> D140-1051_RO	Universal	Headlight	11
142701022	2701022	<b>Karsan:</b> KR.CSX01.515P0002 <b>Temsa:</b> TM253108Y	Universal	Headlight	11
142701023	2701023	<b>Akia:</b> 16090027	Universal	Headlight	11
142701024	2701024	<b>Ford:</b> GC46 13005 AA	Universal	Headlight	11
142701025	2701025		Universal	Spotlight	14
142701026	2701026		Universal	Spotlight	16
142701027	2701027	<b>Otokar:</b> 13H00-35583-AA	Universal	Spotlight	16
142701028	2701028	<b>Karsan:</b> KR.CSX01.515P0004	Universal	Fog Light	19
142701031	2701031		Universal	Headlight	10
142701032	2701032		Universal	Headlight	14
142701033	2701033		Universal	Headlight	14
142701034	2701034		Universal	Headlight	14
142701035	2701035		Universal	Headlight	14
142701036	2701036		Universal	Headlight	10
142701037	2701037	<b>Otokar:</b> 13C33-35510-AA, 16M00-35510-AA <b>Temsa:</b> HD253102Y	Universal	Headlight	10
142701038	2701038		Universal	Spotlight	16
142701039	2701039	<b>Akia:</b> 16090028	Universal	Spotlight	16
142701040	2701040		Universal	Fog Light	17

## Original equipment for lights and mirrors

Ulo-no.	Old Ulo-no.	OEM Reference	Brand	Model	Page
142701041	2701041		Universal	Indicator	25
142701042	2701042		Universal	Indicator	25
142701044	2701044	<b>Karsan:</b> KR.B1801.711P0006 <b>MBT:</b> A0038206656 <b>Güleyüz:</b> 001 02040830 <b>Akia:</b> 16090001	Universal	Daytime Running Light	20
142702001	2702001		Universal	Front Low Beam Projected Low Beam + Positioning (With Led)	12
142702002	2702002	<b>Akia:</b> 16090025	Universal	Front Low Beam Projected Low Beam + Positioning (With Led)	12
142702003	2702003		Universal	Front Low Beam Projected Low Beam + Positioning (With Led)	12
142702004	2702004	<b>Akia:</b>	Universal	Front Low Beam Projected Low Beam + Positioning (With Led)	12
142702010	2702010	<b>Otokar:</b> 13H11-35536-AA <b>Güleyüz:</b> A01 291 0002	Universal	Bi-Halogen Low + High Beam Light	12
142702011	2702011		Universal	Bi-Halogen Low + High Beam Light	12
142702012	2702012		Universal	Bi-Halogen Low + High Beam Light	12
142702013	2702013		Universal	Bi-Halogen Low + High Beam Light	12
142702020	2702020		Universal	Front Fog Light	18
142702021	2702021	<b>Otokar:</b> 83A82-35580-AA	Universal	Front Fog Light	18
142702030	2702030	<b>Otokar:</b> 13M00-36528-AA	Universal	Turn Signal Light Front Signal + Position	15
142702031	2702031	<b>Otokar:</b> 13M00-36530-AA	Universal	Turn Signal Light Front Signal + Position	15
142702040	2702040		Universal	Turn Signal Light Front Signal, Cadface	15
142702042	2702042		Universal	Turn Signal Light Front Signal + Position	15
142702043	2702043		Universal	Turn Signal Light Front Signal, Cadface	15
142908010	2908-01		Universal	Marker Light	26
142908080	2908-08		Universal	Marker Light	26
143058002	3058002		FORD	TRANSIT Bus/Box/Platform/Chassis 2006 - 2011 / Housing, outside mirror	40
143061015	3061015		IVECO	DAILY IV Box Body/Estate/Dumptruck/Platform/Chassis 2006 - 2011 / Mirror Glass, outside mirror	42
143061016	3061016		IVECO	DAILY IV Box Body/Estate/Dumptruck/Platform/Chassis 2006 - 2011 / Mirror Glass, outside mirror	42
143061018	3061018		IVECO	DAILY IV Box Body/Estate/Dumptruck/Platform/Chassis 2006 - 2011 / Mirror Glass, outside mirror	42
143061110	3061110		IVECO	DAILY IV Box Body/Estate/Dumptruck/Platform/Chassis 2006 - 2011 / Sensor, exterior temperature	42
143061301	3061301		IVECO	DAILY IV Van 2006 - 2011	40
143061302	3061302		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror   Surface: black grained mat	40
143061303	3061303		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror   Surface: black grained mat	40
143061304	3061304		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror   Surface: black grained mat	40
143061305	3061305		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror   Surface: black grained mat	40
143061306	3061306		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror   Surface: black grained mat	40
143061307	3061307		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror   Surface: black grained mat	40
143061308	3061308		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror   Surface: black grained mat	40
143061309	3061309		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror   Surface: black grained mat	40
143061310	3061310		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror   Surface: black grained mat	40
143061311	3061311		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror   Surface: black grained mat	40
143061312	3061312		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror   Surface: black grained mat	40
143061313	3061313		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror   Surface: black grained mat	40
143061314	3061314		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror   Surface: black grained mat	40
143061315	3061315		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror   Surface: black grained mat	40
143061316	3061316		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror   Surface: black grained mat	40
143061317	3061317		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror   Surface: black grained mat	40
143061318	3061318		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror   Surface: black grained mat	40
143061319	3061319		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror   Surface: black grained mat	40
143061320	3061320		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror   Surface: black grained mat	40
143061321	3061321		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror   Surface: black grained mat	40

Ulo-no.	Old Ulo-no.	OEM Reference	Brand	Model	Page
143061322	3061322		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror   Surface: black grained mat	40
143061324	3061324		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror   Surface: black grained mat	40
143061326	3061326		IVECO	DAILY IV Van 2006 - 2011 / Outside Mirror   Surface: black grained mat	40
143061901	3061901		IVECO	DAILY IV Van 2006 - 2011 / Cover, outside mirror	41
143061902	3061902		IVECO	DAILY IV Van 2006 - 2011 / Cover, outside mirror	41
143121005	3121005		MERCEDES-BENZ	VITA/MIXTO VAN (W639), VITO Bus (W639) 2010 - 2014 / Outside Mirror   for facelift   with mirror glass	45
143121202	3121202		MERCEDES-BENZ	VITA/MIXTO VAN (W639), VITO Bus (W639) 2010 - 2014 / Mirror Glass, outside mirror   for facelift	45
143121310	3121310		MERCEDES-BENZ	VITA/MIXTO VAN (W639), VITO Bus (W639) 2010 - 2014 / Outside Mirror   for facelift   with mirror glass	45
143134101	3134101		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Indicator	42
143134102	3134102		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Indicator	42
143134201	3134201		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Mirror Glass, outside mirror	41
143134202	3134202		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Mirror Glass, outside mirror	41
143134301	3134301		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Outside Mirror   with mirror glass   Surface: grained	42
143134302	3134302		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Outside Mirror   with mirror glass   Surface: grained	42
143134303	3134303		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Outside Mirror   with mirror glass   Surface: grained	42
143134304	3134304		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Outside Mirror   with mirror glass   Surface: grained	42
143134305	3134305		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Outside Mirror   with mirror glass   Surface: grained	42
143134306	3134306		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Outside Mirror   with mirror glass   Surface: grained	42
143134307	3134307		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Outside Mirror   with mirror glass   Surface: grained	42
143134308	3134308		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Outside Mirror   with mirror glass   Surface: grained	42
143134309	3134309		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Outside Mirror   with mirror glass   Surface: grained	42
143134311	3134311		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Outside Mirror   with mirror glass   Surface: grained	42
143134312	3134312		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Outside Mirror   with mirror glass   Surface: grained	42
143134313	3134313		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Outside Mirror   with mirror glass   Surface: grained	42
143134314	3134314		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Outside Mirror   with mirror glass   Surface: grained	42
143134501	3134501		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Cover, outside mirror	41
143134502	3134502		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Cover, outside mirror	41
143134503	3134503		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Cover, outside mirror	41
143134504	3134504		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Cover, outside mirror	41
143134505	3134505		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Cover, outside mirror	41
143134506	3134506		IVECO	DAILY VI Bus, Platform/Chassis, Van 2014 - / Cover, outside mirror	41
143142201	3142201		MERCEDES-BENZ	V-CLASS (W447) 2014 - / Mirror Glass, outside mirror	44
143142202	3142202		MERCEDES-BENZ	V-CLASS (W447) 2014 - / Mirror Glass, outside mirror	44
143142203	3142203		MERCEDES-BENZ	V-CLASS (W447) 2014 - / Mirror Glass, outside mirror	44
143142204	3142204		MERCEDES-BENZ	V-CLASS (W447) 2014 - / Mirror Glass, outside mirror	44
143142303	3142303		MERCEDES-BENZ	V-CLASS (W447) 2014 - / Outside Mirror	44
143142304	3142304		MERCEDES-BENZ	V-CLASS (W447) 2014 - / Outside Mirror	44
143142305	3142305		MERCEDES-BENZ	V-CLASS (W447) 2014 - / Outside Mirror	44
143142306	3142306		MERCEDES-BENZ	V-CLASS (W447) 2014 - / Outside Mirror	44
143142307	3142307		MERCEDES-BENZ	V-CLASS (W447) 2014 - / Outside Mirror	44
143142308	3142308		MERCEDES-BENZ	V-CLASS (W447) 2014 - / Outside Mirror	44
143142309	3142309		MERCEDES-BENZ	V-CLASS (W447) 2014 - / Outside Mirror	44
143142310	3142310		MERCEDES-BENZ	V-CLASS (W447) 2014 - / Outside Mirror	44

## Original equipment for lights and mirrors

Ulo-no.	Old Ulo-no.	OEM Reference	Brand	Model	Page
143142401	3142401		MERCEDES-BENZ	V-CLASS (W447) 2014 - / Cover, outside mirror	45
143142402	3142402		MERCEDES-BENZ	V-CLASS (W447) 2014 - / Cover, outside mirror	45
143251020	3251-02		Universal	Indicator	22
143251030	3251-03		Universal	Indicator	22
144498410	4498-41		SETRA	Series 300 1991 - 2002 / Combination Rear Light	46
144651090	4651-09		Universal	Rear Reflector	36
144742110	4742-11		Universal	Rear Reflector	37
144742130	4742-13		MAN	Reflector	43
144755010	4755-01		MERCEDES-BENZ	T1 Bus/Box/Platform/Chassis (602) 1987 - 1996 / Reflex Reflector	44
144755030	4755-03		Universal	Rear Reflector	37
145613500	5613-50		Universal	Marker Light	27
145615200	5615-20		Universal	Side Marker Light	28
145615230	5615-23		Universal	Side Marker Light	28
145615270	5615-27		Universal	Side Marker Light	28
145615300	5615-30		Universal	Side Marker Light	28
145615350	5615-35		Universal	Side Marker Light	28
145615360	5615-36		MAN	Side Marker Light	43
145615380	5615-38		Universal	Side Marker Light	28
146715150	6715-15		MERCEDES-BENZ	EVOBUS TRAVEGO BUS 2005 - / Direction Indicator	46
146715160	6715-16		MERCEDES-BENZ	EVOBUS TRAVEGO BUS 2005 - / Direction Indicator	46
146722040	6722-04		MERCEDES-BENZ	EVOBUS TRAVEGO BUS 2005 - / Bulb Holder, Rear Light Assembly	46
147080900	708090		Universal	Indicator	23
147081000	708100		Universal	Indicator	23
147164700	716470		Universal	Indicator	23
147164800	716480		Universal	Indicator	23



odelo Bulgaria EOOD  
ULO Aftermarket

Industrial zone Kapsida  
11 Bavaria Str.  
4101 Kuklen  
Bulgarien

[info@ulo.de](mailto:info@ulo.de)

[www.ulo.de](http://www.ulo.de)



ORIGINAL



02.2024

**ULO** - a brand of the odelo group